Datalogic Joya Smart & Smart+











Powerful self-scanning solution for modern stores

Al-supported goods inspection detects missing or incorrectly scanned items

The rear camera automatically scans the goods in the shopping trolley, and the system immediately informs customers of any possible errors.

- 5-inch display, ergonomic design and fast scanner for high user-friendliness

 Bluetooth headset support makes it easier for visually impaired customers to use the service.
- Robust housing with IP54 protection and high impact resistance

 Designed for tough everyday use in shops resistant to dust, moisture and frequent drops.
- Integrated NFC for contactless activation and direct payment

 Devices can be removed from the charging stations using a customer card or smartphone; payments can be made quickly and directly using cards or digital wallets.
- Wi-Fi 6E and indoor localisation for optimal connectivity and store navigation
 Stable connectivity and indoor localisation support a guided, efficient route through the entire store.

Datalogic Joya Smart & Smart+



Features

Readable codes: 1D, 2D, up to 1 m reading range

Display: 5-inch HD touchscreen with Gorilla Glass

Operating system: Android 15, upgradeable to Android 18

Processor: Qualcomm QCS4490 Kryo Octa-core, 2.4 GHz

Memory: 6 GB RAM, 64 GB flash memory

Camera: 13 MP rear camera for ShopGuard Al

Feedback: Green Spot

Buttons: 1 scan button

Connectivity: Wi-Fi 6E, Bluetooth 5.3, NFC (payment & Tapto-Go), USB C

Additional features: Indoor localisation, various sensors, 1 microphone, 1 loudspeaker

Battery: 3500 mAh Li-ion, up to 12 hours of runtime, wireless Qi charging (10 W)

Protection: IP54, chemical-resistant surface, drop resistance up to 1.3 m (up to 1.5 m with protective cover)

Operating temperature: -10°C to 50°C

Dimensions (W \times L \times H): 77.8 \times 214 \times 104 mm

Weight: 303 g

Optional accessories

1- and 3-slot charging stations (optionally with lock)

Wall mounts for charging stations

Shopping trolley mounts

Belt holster

Screen protector

Spare battery

Protective cover

Datalogic Joya Smart & Smart+



WIRELESS COMMU	NICATIONS
Local Area Network (WLAN)	Wi-Fi 6e IEEE 802.11 a/b/g/n/ac/ax and 802.11 d/e/h/i/k/ r/v/w/mc; Frequency range: Country dependent, typically 2.4 GHz,5 GHz and 6 GHz bands; 2x2 MIMO; WPA3 Enterprise 192-bit mode supported
Personal Area Network (WPAN)	Bluetooth wireless technology v5.3 (Classic Bluetooth wireless technology and BLE)
NFC Communication	Support for the following standards: Tag types 2/3/4/5 (ISO14443-4 A/B; ISO15693; Mifare; Felica) Card emulator. Contactless payments and Apple ECP protocol supported. EMYCo RR PCD Level 1 Compliant Strongbox Secure Element
ELECTRICAL	
Battery	Replaceable battery pack with rechargeable Li-Ion Battery 3,500 mAh capacity
Wireless Charging	WPC Qi EPP compliant; 10W charging
ENVIRONMENTAL	
Drop Resistance	Multiple 1.3/4ft drops to concrete across operative temperature without rubber boot per enterprise standard according to MIL STD 810H. Multiple 1.5m/6ft drops to concrete over operating temp (-10°C to 50°C/14°F to 122°F) with rubber boot according to MIL STD 810H.
Tumbles	1000 0,5m/1.6 ft tumbles at room temperature without protective boot, meets and exceed IEC 60068-2-32 Procedure 2 specification. 500 1m/3.2 ft tumbles at room temperature with rubber boot, meets and exceed IEC 60068-2-32 Procedure 2 specification.
Sealing	IP54
Chemical Resistance	General purpose chemical cleansers: Chemical agents against which the device is resistant; sopropyl alcohol 70% (IPA) / Alcohol Wipes 70% Glassex with ammonia / Formula 409® Glass and Surface Cleaner Glassex with ammonia / Windex® Water solution of Sodium Hypochlorite 0,8% / Clorox® Bleach Ethyl alcohol 70% Hydrogen peroxide 3%
Temperature	Operating: -10 to 50 °C / 14 to 122 °F Storage/Transport: -40 to 70 °C / -40 to 158 °F
ESD	15kV air discharge / 8kV contact discharge
PHYSICAL CHARAC	TERISTICS
Dimensions	214 mm x 77.8 mm x 104 mm / 8.42 in. x 3.06 in. x 4.09 in.
Weight	With Battery: 303g/ 10.68 oz.
Primary Display	5 inch color HD (1280x720); optically bonded to touch panel glass; 450 NITS
Keys	Physical Keys: 1 scan trigger
Touch Panel	Touch Screen: 5 points multi-touch capacitive panel with Gorilla Glass 3 and optical bonding; Support for gloves and stylus; water drops rejection and antifingerprint surface finishing

Camera	Rear Camera: Resolution: 13 megapixel; Auto focus
	Illumination: User controllable LED flash (torch mode); Halogen™ DE2121-DL 1D/2D scan engine;
Scan Engine	Datalogic's 'Green Spot' for good-read feedback;
SENSORS	
Vibration	Software programmable for duration and intensity
Accelerometer	3-Axis accelerometer to detect orientation
Gyroscope	Senses angular velocity
Magnetometer Barometer	e-compass for direction and orientation detection Atmospheric pressure / Z-location
ToF	Time of Flight
OCATIONING	
Indoor locationing	Integrated IMU sensors compatible with third party indoc locationing software solutions
NTERFACES	locationing software solutions
Interfaces	High Speed USB 2.0 (Type-C) for device maintenance
AUDIO	, , , , , , , , , , , , , , , , , , , ,
Microphones	1x mic
Loudspeaker	1x speakers 0,8W (1W short term) and 92dBA
SAFETY & REGULA	TORY
	The product meets necessary safety and regulatory
Agency Approvals	approvals for its intended use.
Environmental Compliance	Complies to EU RoHS
Protection	Shield - Android Security Updates; Launcher - to lockdown device to kiosk mode; Entreprise Browser - to web-browse only to a set of approve URLs; Integrity KIT - to safeguard HW interfaces
Configuration	Scan2Deploy Studio - to configure and stage device, OEMCon - for UEM/EMM Compatibility, AE OR Code Enrollment - for easy EMM/UEM enrollment
Development	SDKs (Java, Kotlin, Xamarin, .NET MAUI JavaScript), Visual Formatter - a no-code platform for barcode formatting Wedge - a configurable barcode scanning input method
	Wedge - a configurable barcode scarring input metrod
Optimization	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics; Battery Manager to select from different charging policie Snap OCR - Rear or scanner camera digitizes text, streamlining da entry and label parsing
Optimization Additional Features	SoftSpot - a draggable touch scanner trigger: Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics: Battery Manager to select from different charging policic Snap OCR - Rear or scanner camera digitizes text, streamlining da
<u> </u>	SoftSpot - a draggable touch scanner trigger: Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics: Battery Manager to select from different charging policic Snap OCR - Rear or scanner camera digitizes text, streamlining da
Additional Features	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics: Battery Manager to select from different charging policic Snap OCR - Rear or scanner camera digitizes text, streamlining da entry and label parsing
Additional Features Self-Shopping software	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics; Battery Manager to select from different charging policic Snap OCR - Rear or scanner camera digitizes text, streamlining da entry and label parsing Compatible with Self-Shopping software from all major retailers and ISVs. Seamless integration with Datalogic's Shopevolution™ and EasyShop software platforms. Android Zero-Touch, Android Enterprise QR Code, NFC Bump EMM Token, DPC Identifier enrollment SOTI MobiControl, VMWare Workspace One, Microsoft intune,
Additional Features Self-Shopping software Provisioning	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data an statistics; Battery Manager to select from different charging policie Snap OCR - Rear or scanner camera digitizes text, streamlining da entry and label parsing Compatible with Self-Shopping software from all major retailers and ISVs. Seamless integration with Datalogic's Shopevolution TM and EasyShop software platforms. Android Zero-Touch, Android Enterprise QR Code, NFC Bump EMM Token, DPC Identifier enrollment MI MobiControl, VMWare Workspace One, Microsoft intune, 42Gears Sure MDM, Ivanti Neurons, Ivanti Avalanche, and an
Additional Features Self-Shopping software Provisioning UEM/EMM	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data an statistics; Battery Manager to select from different charging policie Snap OCR - Rear or scanner camera digitizes text, streamlining da entry and label parsing Compatible with Self-Shopping software from all major retailers and ISVs. Seamless integration with Datalogic's Shopevolution TM and EasyShop software platforms. Android Zero-Touch, Android Enterprise QR Code, NFC Bump EMM Token, DPC Identifier enrollment MI MobiControl, VMWare Workspace One, Microsoft intune, 42Gears Sure MDM, Ivanti Neurons, Ivanti Avalanche, and an
Additional Features Self-Shopping software Provisioning UEM/EMM	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics; Battery Manager to select from different charging policic Snap OCR - Rear or scanner camera digitizes text, streamlining dentry and label parsing Compatible with Self-Shopping software from all major retailers and ISVs. Seamless integration with Datalogic's Shopevolution™ and EasyShop software platforms. Android Zero-Touch, Android Enterprise QR Code, NFC Bump EMM Token, DPC Identifier enrollment SOTI MobiControl, VMWare Workspace One, Microsoft intune, 42Gears Sure MDM, Ivanti Neurons, Ivanti Avalanche, and an OEM Config compliant UEM/EMM 6 GB RAM / 64 GB Flash Storage Qualcomm QCS4490 Kryo Octa-core 2.4 GHz
Additional Features Self-Shopping software Provisioning UEM/EMM SYSTEM Memory Microprocessor Operating System	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics, Battery Manager to select from different charging policie Snap OCR - Rear or scanner camera digitizes text, streamlining daentry and label parsing Compatible with Self-Shopping software from all major retailers and 15Vs. Seamless integration with Datalogic's Shopevolution The and EasyShop software platforms. Android Zero-Touch, Android Enterprise QR Code, NFC Bump EMM Token, DPC Identifier enrollment SOTI MobiControl, VMWare Workspace One, Microsoft intune, 42Gears Sure MDM, Ivanti Neurons, Ivanti Avalanche, and an OEM Config compliant UEM/EMM 6 GB RAM / 64 GB Flash Storage Qualcomm QCS4490 Kryo Octa-core 2.4 GHz Android 15, upgradeable up to Android 18
Additional Features Self-Shopping software Provisioning UEM/EMM SYSTEM Memory Microprocessor	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics; Battery Manager to select from different charging policic Snap OCR - Rear or scanner camera digitizes text, streamlining dentry and label parsing Compatible with Self-Shopping software from all major retailers and ISVs. Seamless integration with Datalogic's Shopevolution™ and EasyShop software platforms. Android Zero-Touch, Android Enterprise QR Code, NFC Bump EMM Token, DPC Identifier enrollment SOTI MobiControl, VMWare Workspace One, Microsoft intune, 42Gears Sure MDM, Ivanti Neurons, Ivanti Avalanche, and an OEM Config compliant UEM/EMM 6 GB RAM / 64 GB Flash Storage Qualcomm QCS4490 Kryo Octa-core 2.4 GHz
Additional Features Self-Shopping software Provisioning UEM/EMM SYSTEM Memory Microprocessor Operating System	SoftSpot - a draggable touch scanner trigger; Logger - to collect advanced device events log; Wi-Fi Guard - to collect Wi-Fi data and statistics, Battery Manager to select from different charging policie Snap OCR - Rear or scanner camera digitizes text, streamlining daentry and label parsing Compatible with Self-Shopping software from all major retailers and 15Vs. Seamless integration with Datalogic's Shopevolution The and EasyShop software platforms. Android Zero-Touch, Android Enterprise QR Code, NFC Bump EMM Token, DPC Identifier enrollment SOTI MobiControl, VMWare Workspace One, Microsoft intune, 42Gears Sure MDM, Ivanti Neurons, Ivanti Avalanche, and an OEM Config compliant UEM/EMM 6 GB RAM / 64 GB Flash Storage Qualcomm QCS4490 Kryo Octa-core 2.4 GHz Android 15, upgradeable up to Android 18