



Compact kiosk system for digital customer processes



Compact kiosk system for floor, counter and wall mounting

Adapts flexibly to checkout areas, information points or collection stations.



Two display sizes and flexible portrait or landscape orientation

15-inch or 21-inch touchscreen that can be mounted in portrait or landscape format depending on the application.



Integrated: receipt printer, barcode scanner and payment terminal for complete processes

Numerous options are available to tailor the kiosk precisely to individual process requirements.



Latest processors and modern operating systems for stable performance

Reliable continuous operation even under high loads.



Robust design with water- and dust-protected front

The protected front is suitable for high-traffic areas such as entrances, cash registers or pick-up zones and is easy to clean.

Features

Variants: Floor, counter or wall mounting

Display: 15 or 21 inches, 21 inches optionally in portrait or landscape format

Touchscreen: PCAP multi-touch (10 points)

Audio: Internal speaker

Operating systems: Windows 11, Linux or Android

Processor: Intel Alder Lake 12th Gen / Media Tek Genio 700

Memory: 8 GB DDR5, 128 GB SSD, two slots available / 64 GB eMMC

Connectivity: Ethernet, USB, serial, Wi-Fi, Bluetooth

Barcode scanner: Datalogic 1500i

Receipt printer: ODP 444, Epson TM-M30

Payment terminals: various models from PAX, Verifone and Ingenico

Cash drawer: supports 19 or 24 V, two cash drawers with Y-cable possible

Protection: splash-proof and dust-proof

Operating temperature: 0 to +40 °C

Dimensions (W x D x L): Counter or wall mounting: 73 x 43 x 26 cm / Floor-standing unit: 143 x 55 x 55 cm

Weight: Counter or wall mounting: 19 kg / Floor-standing unit: 51 kg (including base)

Optional accessories

-

SYSTEM	YUNO KIOSK 15 OR 21"
Processors	INTEL Alder Lake 12th Generation (N97 or i3 – N 305)
Memory	DDR5 (8GB in standard)
M2	128 GB (2 slots)
LCD	15 and 21"
Touch screen	Flat & Edgeless PCAP panel (multi-touch 10 points)
Android system	Please contact us

OTHER SYSTEMS	
Printer	ODP 444 thermal printer (or EPSON Tm-M30)
Scanner	1D/2D (DATALOGIC)

I/O PORTS	
Serial ports	2 x RS-232 serial ports with optional power, + 5V or + 12V
USB	2 X USB 3.0 Side Panel + 2 x USB 3.0 I/O Panel + 4 x USB 2.0 I/O Panel + 1 USB-C + Alt Mode Video + USB high speed + PD in /PD out 3A, 5V
Ethernet	1 x Gigabit Ethernet with WOL, PXE boot
Cash Drawer	1 x cash drawer for +19V or +24V drawer, dual drawer support with Y cable
LAN	10/100/1000 Base-T

EFT	
PAX	S300 / Q25 / A35 / IM 30
Verifone	VX820 / P400 / P630
Ingenico	LANE 5000 / LANE 3000-3600 / IPP 350

DIMENSIONS & WEIGHT		
	Counter top / Wall-mount configuration	Standalone configuration (stand + ground plate)
Max height	73 cm	143 cm
Max width	43 cm (screen + payment terminal)	55 cm (ground plate)
Max depth (screen)	26 cm	55 cm (ground plate)
Weight	19 kg	51 kg (stand + ground plate: 32 kg)

MISCELLANEOUS	
CEM	CE Directive CEM 2014/30/EU (Class B)
Security	CE Directive BT 2014/35/EU
Operating temperature	5 - 35° C
Front side	Water and dust resistant
Wall-mount configuration	specific additional rear mounting cover
Colour(s)	grey/black (other colours upon request – for specific orders)
Compatible OS	Windows 11 IoT LTSC 2024, Windows 10 IoT Enterprise, Linux, Android 13 GMS

SYSTEM		YUNO KIOSK 15 OR 21"
Processor	Media Tek Genio 700 (MT8390) processor	
Memory	8 GB	
GPU	Mali-G57 MC3	
Storage	64 GB eMMC	
LCD	27" TFT Full HD (1920 x 1080)	
Touch screen	Flat & Edgeless PCAP Panel	

OTHER SYSTEMS	
Printer	ODP 444 thermal printer (or EPSON Tm-M30)
Scanner	1D/2D (DATALOGIC)

I/O PORTS	
USB	1 x USB-C, 1 x USB-C (PD out 12V@3A+USB 2.0), 1 x USB-C (OTG Support), 2 x USB 3.0 Type A
WIFI & Bluetooth	802.11 a/b/g/n/ac/ax, Bluetooth 5.2 (BLE Supported)
Ethernet	1 x RJ45 Giga LAN
Audio	Internal loudspeaker

PAYMENT TERMINALS	
PAX	S300 / Q25 / A35 / IM 30
Verifone	VX820 / P400 / P630
Ingenico	LANE 5000 / LANE 3000-3600 / IPP 350

DIMENSIONS & WEIGHT		
	Counter top / Wall-mount configuration	Standalone configuration (stand + ground plate)
Max height	73 cm	143 cm
Max width	43 cm (screen + payment terminal)	55 cm (ground plate)
Max depth (screen)	26 cm	55 cm (ground plate)
Weight	19 kg	51 kg (stand + ground plate: 32 kg)

MISCELLANEOUS	
CEM	CE Directive CEM 2014/30/EU (Class B)
Security	CE Directive BT 2014/35/EU
Operating temperature	5 - 35° C
Front side	Water and dust resistant
Wall-mount configuration	specific additional rear mounting cover
Colour(s)	grey/black (other colours upon request – for specific orders)
OS	Android 13 GMS