



## Kompaktes Kiosksystem für digitale Kundenprozesse

- ✓ **Kompaktes Kiosksystem für Stand-, Theken- und Wandmontage**  
Passt sich flexibel an Kassenbereich, Infopoint oder Abholstation an.
- ✓ **Zwei Displaygrößen und flexible Hoch- oder Querformat-Ausrichtung**  
15- oder 21-Zoll-Touchscreen, der je nach Einsatz im Hoch- oder Querformat montiert werden kann.
- ✓ **Integriert: Belegdrucker, Barcode-Scanner und Bezahlterminal für komplette Prozesse**  
Um den Kiosk exakt an individuelle Prozessanforderungen anzupassen, stehen zahlreiche Optionen zur Auswahl.
- ✓ **Aktuelle Prozessoren und moderne Betriebssysteme für stabile Performance**  
Zuverlässiger Dauerbetrieb selbst bei hoher Auslastung.
- ✓ **Robustes Design mit wasser- und staubgeschützter Front**  
Die geschützte Front eignet sich für stark frequentierte Bereiche wie Eingänge, Kassen oder Abholzonen und lässt sich einfach reinigen.

## Eigenschaften

**Varianten:** Stand-, Theken- oder Wandmontage

**Display:** 15 oder 21 Zoll, 21 Zoll optional im Hoch- oder Querformat

**Touchscreen:** PCAP-Multitouch (10 Punkte)

**Audio:** Interner Lautsprecher

**Betriebssysteme:** Windows 11, Linux oder Android

**Prozessor:** Intel Alder Lake 12th Gen / Media Tek Genio 700

**Speicher:** 8 GB DDR5, 128 GB SSD, zwei Slots verfügbar / 64 GB eMMC

**Konnektivität:** Ethernet, USB, Seriell, WLAN, Bluetooth

**Barcode-Scanner:** Datalogic 1500i

**Belegdrucker:** ODP 444, Epson TM-M30

**Bezahlterminals:** div. Modelle von PAX, Verifone und Ingenico

**Geldlade:** unterstützt 19 oder 24 V, zwei Geldladen mit Y-Kabel möglich

**Schutz:** Spritzwasser- und staubgeschützt

**Betriebstemperatur:** 0 bis +40 °C

**Abmessungen** (B x T x L): Theken- oder Wandmontage: 73 × 43 × 26 cm / Standgerät: 143 × 55 × 55 cm

**Gewicht:** Theken- oder Wandmontage: 19 kg / Standgerät: 51 kg (inkl. Sockel)

## Optionales Zubehör

-

SYSTEM	YUNO KIOSK 15 OR 21"
Processors	INTEL Alder Lake 12th Generation (N97 or i3 – N 305)
Memory	DDR5 (8GB in standard)
M2	128 GB (2 slots)
LCD	15 and 21"
Touch screen	Flat & Edgeless PCAP panel (multi-touch 10 points)
Android system	Please contact us

OTHER SYSTEMS	
Printer	ODP 444 thermal printer (or EPSON Tm-M30)
Scanner	1D/2D (DATALOGIC)

I/O PORTS	
Serial ports	2 x RS-232 serial ports with optional power, + 5V or + 12V
USB	2 X USB 3.0 Side Panel + 2 x USB 3.0 I/O Panel + 4 x USB 2.0 I/O Panel + 1 USB-C + Alt Mode Video + USB high speed + PD in /PD out 3A, 5V
Ethernet	1 x Gigabit Ethernet with WOL, PXE boot
Cash Drawer	1 x cash drawer for +19V or +24V drawer, dual drawer support with Y cable
LAN	10/100/1000 Base-T

EFT	
PAX	S300 / Q25 / A35 / IM 30
Verifone	VX820 / P400 / P630
Ingenico	LANE 5000 / LANE 3000-3600 / IPP 350

DIMENSIONS & WEIGHT		
	Counter top / Wall-mount configuration	Standalone configuration (stand + ground plate)
Max height	73 cm	143 cm
Max width	43 cm (screen + payment terminal)	55 cm (ground plate)
Max depth (screen)	26 cm	55 cm (ground plate)
Weight	19 kg	51 kg (stand + ground plate: 32 kg)

MISCELLANEOUS	
CEM	CE Directive CEM 2014/30/EU (Class B)
Security	CE Directive BT 2014/35/EU
Operating temperature	5 - 35° C
Front side	Water and dust resistant
Wall-mount configuration	specific additional rear mounting cover
Colour(s)	grey/black (other colours upon request – for specific orders)
Compatible OS	Windows 11 IoT LTSC 2024, Windows 10 IoT Enterprise, Linux, Android 13 GMS

SYSTEM		YUNO KIOSK 15 OR 21"
Processor	Media Tek Genio 700 (MT8390) processor	
Memory	8 GB	
GPU	Mali-G57 MC3	
Storage	64 GB eMMC	
LCD	27" TFT Full HD (1920 x 1080)	
Touch screen	Flat & Edgeless PCAP Panel	

OTHER SYSTEMS	
Printer	ODP 444 thermal printer (or EPSON Tm-M30)
Scanner	1D/2D (DATALOGIC)

I/O PORTS	
USB	1 x USB-C, 1 x USB-C (PD out 12V@3A+USB 2.0), 1 x USB-C (OTG Support), 2 x USB 3.0 Type A
WIFI & Bluetooth	802.11 a/b/g/n/ac/ax, Bluetooth 5.2 (BLE Supported)
Ethernet	1 x RJ45 Giga LAN
Audio	Internal loudspeaker

PAYMENT TERMINALS	
PAX	S300 / Q25 / A35 / IM 30
Verifone	VX820 / P400 / P630
Ingenico	LANE 5000 / LANE 3000-3600 / IPP 350

DIMENSIONS & WEIGHT		
	Counter top / Wall-mount configuration	Standalone configuration (stand + ground plate)
Max height	73 cm	143 cm
Max width	43 cm (screen + payment terminal)	55 cm (ground plate)
Max depth (screen)	26 cm	55 cm (ground plate)
Weight	19 kg	51 kg (stand + ground plate: 32 kg)

MISCELLANEOUS	
CEM	CE Directive CEM 2014/30/EU (Class B)
Security	CE Directive BT 2014/35/EU
Operating temperature	5 - 35° C
Front side	Water and dust resistant
Wall-mount configuration	specific additional rear mounting cover
Colour(s)	grey/black (other colours upon request – for specific orders)
OS	Android 13 GMS